



ZAŁĄCZNIK nr 1. Wymiary znaków.


Rys. – znak IV.A.1 – oznakowanie miejsc niebezpiecznych na prawym brzegu Wymiary znaku - **nie mniejsze niż 40 cm szerokości.**



Rys. – znak IV.A.1 – oznakowanie miejsc niebezpiecznych na prawym brzegu Wymiary znaku - **nie** mniejsze niż 40 cm szerokości.



E.2 – Wskazanie linii napowietrznej nad drogą wodną (liczba w prawym dolnym rogu oznacza wysokość linii napowietrznej nad poziomem najwyższej wody żeglownej).



Technical drawing of a mechanical part, likely a bracket or support, showing dimensions in millimeters. The part is primarily blue, indicating a specific material or finish, with a white central feature.

Overall Dimensions:


- Total Width: 91 mm
- Total Height: 62 mm

Key Features and Dimensions:


- Top Flange:** Width 37 mm, Height 10 mm.
- Central Cutout:** A semi-circular feature with a radius of 5.2 mm and a depth of 1 mm.
- Internal Slot:** A slot with a width of 6 mm and a depth of 1.5 mm.
- Bottom Flange:** Width 25 mm, Height 8 mm.
- Mounting Hole:** A circular hole with a diameter of 6 mm, located 20 mm from the bottom edge and 4.5 mm from the right edge.
- Internal Features:** A slot with a width of 16 mm and a depth of 4.5 mm, and a slot with a width of 24 mm and a depth of 1.5 mm.
- Other Dimensions:** 36 mm (diagonal), 67 mm (diagonal), 1.5 mm (small gap), 1.5 mm (small gap), 5 mm (small gap), 8 mm (small gap), 10 mm (small gap).

Technical drawing of a square plate with a central slot and a red frame. The plate has an outer dimension of 95 and an inner dimension of 65. The frame is red and has a thickness of 2,5. The central slot is black and has a width of 48 and a height of 15. The dimensions are indicated by arrows and numbers.


Rys. – znak B.1 – Nakaz ruchu w kierunku wskazanym przez znak.




Rys. – znak A.1. - zakaz przejścia.




C.3 – Ograniczenie szerokości szlaku lub kanału żeglugowego



C.4 – Inne ograniczenia ruchu żeglugowego – należy się z nimi zapoznać. Ograniczenia te mogą też być podane na białym polu znaku lub pod znakiem w formie symbolu lub napisu



Znaki pomocnicze.



Znak kilometrowy.

